Blanco South Ranch Blanco County, Texas, 290.92 AC +/-












The information contained herein was obtained from sources deemed to be reliable. No warranties or guarantees as to the accuracy is claimed.

Blanco South Ranch-H2O Blanco County, Texas, 290.92 AC +/-




The information contained herein was obtained from sources deemed to be reliable. No warranties or guarantees

as to the accuracy is claimed.

830.481.4444

ders Ranch Realty



Boundary Stream, . Intermittent Water Body


River/Creek





The information contained herein was obtained from sources deemed to be reliable. No warranties or guarantees as to the accuracy is claimed.

Daley Ranch Blanco County, Texas, 290.92 AC +/-



Boundary Stream, Intermittent

Water Body

River/Creek





The information contained herein was obtained from sources deemed to be reliable. No warranties or guarantees as to the accuracy is claimed.

| D Boundary 290.92 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|---|---------------|-------|-----|-------|------|
| 6 | Brackett association, 1 to 8 percent slopes | 223.0 | 76.98 | 0 | 23 | 4e |
| 38 | Purves clay, 1 to 8 percent slopes | 53.93 | 18.62 | 0 | 22 | 6e |
| 24 | Krum clay, 1 to 3 percent slopes | 11.43 | 3.95 | 0 | 48 | 3e |
| 9 | Doss silty clay, moist, 1 to 5 percent slopes | 1.33 | 0.46 | 0 | 25 | 4e |
| TOTALS | | 289.6 9(*) | 100% | - | 23.81 | 4.33 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life' | ٠ | ٠ | ٠ | • | ٠ | ٠ | • | ٠ |
| Forestry | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | |
| Limited | • | ٠ | ٠ | • | • | • | • | |
| Moderate | ٠ | ٠ | ٠ | ٠ | • | • | | |
| Intense | ٠ | • | • | • | • | | | |
| Limited | ٠ | • | • | • | | | | |
| Moderate | • | • | • | | | | | |
| Intense | ٠ | ٠ | | | | | | |
| Very Intense | ٠ | | | | | | | |
| | | | | | | | | |

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water

